



Type/Model		T 134	T 135	T 337	T 345	T 348	T 448	T 449	A 160	A 361	A 366	A 464
SP net	€	31.344	30.503	32.604	32.184	32.772	33.613	33.024	30.924	33.192	33.445	33.445
Technical data												
Length/Width/Height	cm	623/232/291	623/232/291	693/232/291	678/232/291	693/232/291	743/232/291	743/232/291	595/232/310	663/232/310	698/232/310	728/232/310
Internal height	cm	195	195	195	195	195	210	195	195	195	195	195
Towbar load 12 ⁽¹⁾	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		215/70 R 15 C	215/70 R 15 C	215/70 R 15 C	215/70 R 15 C	215/70 R 15 C	215/70 R 15 C	215/70 R 15 C	215/70 R 15 C	215/70 R 15 C	215/70 R 15 C	215/70 R 15 C
Wheelbase	mm	3.450	3.450	3.800	3.800	3.800	4.035	4.035	3.000	3.800	3.800	4.035
Berths alcove/pull-up bed	cm	-	-	-	-	200x120/140 (SA)	200x120/140 (SA)	-	210x160	210x160	210x160	210x160
Centre seating group	cm	210x50 (SA)	165x100/55 (Emergency bed)	165x100/55 (Emergency bed)	210x110 (SA)	210x110 (SA)	210x100 (SA)	210x50 (SA)	174x100 210x180 (SA)	184x100	184x100	184x100
Longitudinal berth	cm	-	-	-	-	-	-	-	180x60	-	-	-
Rear berth	cm	210x140	195x135	1x200x80 1x195x80 210x200 (SA)	195x135	195x135	1x200x80 1x190x80 210x200/180 (SA)	190x150	-	2x210x85	1x200x70 1x190x70	210x152/135
Basic engine		2.0 MJet	2.0 MJet	2.0 MJet	2.0 MJet	2.0 MJet	2.0 MJet	2.0 MJet	2.0 MJet	2.0 MJet	2.0 MJet	2.0 MJet
kW (bhp)		85 (115)	85 (115)	85 (115)	85 (115)	85 (115)	85 (115)	85 (115)	85 (115)	85 (115)	85 (115)	85 (115)
Chassis		Fiat ladder frame	Fiat ladder frame	Fiat ladder frame	Fiat ladder frame	Fiat low frame	Fiat low frame	Fiat ladder frame	Fiat ladder frame	Fiat ladder frame	Fiat ladder frame	Fiat ladder frame
Total vehicle operating weight	kg	2.670	2.670	2.810	2.780	2.760	2.830	2.870	2.670	2.850	2.900	2.940
Additional load:	kg	825	825	685	715	735	665	625	825	645	595	555
Technically permissible maximum laden mass	kg	3.495	3.495	3.495	3.495	3.495	3.495	3.495	3.495	3.495	3.495	3.495
Permissible no. of persons at 3.5 t ⁽²⁾		4	4	4	4	4	4	4	4 / 6 (SA) ⁽²⁾	4 / 6 (SA) ⁽²⁾	4 / 6 (SA) ⁽²⁾	4 / 6 (SA) ⁽²⁾
Optional uprating to 3.85 t	kg	3850 (SA)	3850 (SA)	3850 (SA)	3850 (SA)	3850 (SA)	3850 (SA)	3850 (SA)	3850 (SA)	3850 (SA)	3850 (SA)	3850 (SA)
Permissible no. of persons at 3.85 t ⁽²⁾		4	4	4	4	4	4	4	4 / 6 (SA) ⁽²⁾	4 / 6 (SA) ⁽²⁾	4 / 6 (SA) ⁽²⁾	4 / 6 (SA) ⁽²⁾
Refrigerator (of which freezer compartment)	Litres	113/11	113/11	113/11 (SA 141/23)	113/11	113/11 (SA 141/23)	113/11 (SA 141/23)	113/11 (SA 141/23)	113/11	113/11 (SA 141/23)	113/11	113/11 (SA 141/23)
Water store including boiler/vol. AW	Litres	122 (20)/92	122 (20)/92	122 (20)/92	122 (20)/92	122 (20)/92	122 (20)/92	122 (20)/92	122 (20)/92	122 (20)/92	122 (20)/92	122 (20)/92
Battery/charger	Ah/A	95/18	95/18	95/18	95/18	95/18	95/18	95/18	95/18	95/18	95/18	95/18
230 V / 12 V sockets		2/1	3/1	2/1	3/1	3/1	2/1	2/1	2/1	2/1	3/1	2/1
Heating		Truma C 6kW	Truma C 6kW	Truma C 6kW	Truma C 6kW	Truma C 6kW	Truma C 6kW	Truma C 6kW	Truma C 6kW	Truma C 6kW	Truma C 6kW	Truma C 6kW
Swivelling driver's seat		x	x	x	x	x	x	x	-	-	-	-
Swivelling passenger seat		x	x	x	x	x	x	x	-	-	-	-
Stowage space flap/ stowage compartment flap dimensions W x H	cm	70x125 70x85 (SA)	60x75	80x115 80x80 (SA)	80x75	100x60	80x115 80x85 (SA)	110x90 right 70x90 left	80x28 80x59 (SA)	80x125	110x135	110x125 110x85 (SA)

SA = optional equipment

The technically permissible maximum laden mass and the permissible axle loads shall not be exceeded.

The total vehicle operating weight comprises the unladen weight of the vehicle including the driver (75 kg) and a full tank of fuel and also the following basic equipment: reduced volume in water tank (20 kg), one full gas cylinder (25 kg) and a cable drum (4 kg).

1) The optional uprating to 3850 kg reduces the towbar load to 1900 kg

2) General information regarding permissible number of persons: The permissible number of persons can be reduced or uprating may be made necessary by the installation of factory-fitted chassis options, optional equipment and packages (see optional equipment price list for additional weights).

Approval for more than 6 persons possible only in conjunction with the safety package

Code	Optional equipment	SP net	Add. weight	T 134	T 135	T 337	T 345	T 348	T 448	T 449	A 160	A 361	A 366	A 464
Chassis														
	Fiat ladder frame chassis 2.3 l - 96 kW (130 bhp) - EURO 5	1.175,63 €		□	□	□	□	□	□	□	□	□	□	□
	Fiat low frame chassis 2.3 l - 96 kW (130 bhp) - EURO 5	1.175,63 €		□	□	□	□	□	□	□	□	□	□	□
	Fiat ladder frame chassis 2.3 l - 109 kW (148 bhp) - EURO 5	2.180,67 €		□	□	□	□	□	□	□	□	□	□	□
	Fiat low frame chassis 2.3 l - 109 kW (148 bhp) - EURO 5	2.180,67 €		□	□	□	□	□	□	□	□	□	□	□
40141	Uprating 3850 kg Fiat (without chassis modification)	209,24 €	---	□	□	□	□	□	□	□	□	□	□	□
20086	Automatic transmission (6-speed) only in conjunction with 130 or 148 bhp (plus ESP as a compulsory option) not until Spring	1.635,29 €	17	□	□	□	□	□	□	□	□	□	□	□
20068	ESP including ASR and Hillholder (compulsory option with automatic transmission)	419,33 €		□	□	□	□	□	□	□	□	□	□	□
80036	Chassis Package comprising:	1.679,83 €	28	□	□	□	□	□	□	□	□	□	□	□
	Manual air conditioning in cab, passenger airbag, electric heated door mirrors, cruise control, preparations for radio with loudspeakers, aerial integrated into door mirror													
Exterior body														
40128	Insulated waste water tank	108,40 €	2	□	□	□	□	□	□	□	□	□	□	□
40012	Roof luggage rack styling with aluminium ladder (not on combination with satellite system on A)	713,45 €	17	□	□	□	□	□	□	□	□	□	□	□
40127	Window in roof	402,52 €	8	□	□	□	□	□	□	□	□	□	□	□
40008	Panorama roof vent (Heki) (in the Basic Package)	251,26 €	11	×	×	×	×	×	×	×	×	×	×	×
40135	Exterior stowage compartment in front long bench on the right (flap 800x590)	360,50 €	20	□	□	□	□	□	□	□	□	□	□	□
40062	External stowage compartment flap 700 x 850 cm (left)	293,28 €	3	□	□	□	□	□	□	□	□	□	□	□
40173	External stowage compartment flap 800 x 800 cm (left)	293,28 €	4	□	□	□	□	□	□	□	□	□	□	□
40063	External stowage compartment flap 800 x 850 cm (left)	293,28 €	4	□	□	□	□	□	□	□	□	□	□	□
40061	External stowage compartment flap 1100 x 850 cm (left)	293,28 €	5	□	□	□	□	□	□	□	□	□	□	□
40011	Jacks (2) for mounting at rear	234,45 €	6	□	□	□	□	□	□	□	□	□	□	□
Body interior/living area														
40013	Shower room panelling (plastic) including shower doors (in the Basic Package)	318,49 €	2	×	×	×	×	×	×	×	×	×	×	×
40029	Seating group conversion option	200,84 €	5	□	□	□	□	□	□	□	□	□	□	□
40045	Single bed to double bed conversion option	251,26 €	3	□	□	□	□	□	□	□	□	□	□	□
	Coat rack (in the Basic Package - model-dependent)	57,98 €	2	×	×	×	×	×	×	×	×	×	×	×
40137	Large wardrobe in the kitchen unit 2)	276,47 €	---	□	□	□	□	□	□	□	□	□	□	□
40150	Pull-up bed	1.091,60 €	55	□	□	□	□	□	□	□	□	□	□	□
40174	Safety package: 2 headrests and 2 lap belts on the centre bench facing away from the direction of travel (number of persons permitted depends on vehicle weight) 3)	251,26 €	5	□	□	□	□	□	□	□	□	□	□	□
40042	Carpets	192,44 €	6-9	□	□	□	□	□	□	□	□	□	□	□
Electrical/gas installation														
40015	Auxiliary living area battery 95 Ah	251,26 €	27	□	□	□	□	□	□	□	□	□	□	□
40068	Truma Combi 6 gas heating with electric heating bar	419,33 €	2	□	□	□	□	□	□	□	□	□	□	□
40104	Floor heating (electrical) for accessible area	419,33 €	6	□	□	□	□	□	□	□	□	□	□	□
40110	Preparations for TV including 12 V cabling in roof stowage cabinet over seating group	54,62 €	2	□	□	□	□	□	□	□	□	□	□	□
40054	Reversing camera cabling	121,85 €	2	□	□	□	□	□	□	□	□	□	□	□
Kitchen/water supply														
40017	Oven	394,12 €	14	□	□	□	□	□	□	□	□	□	□	□
40016	Extractor	192,44 €	3	□	□	□	□	□	□	□	□	□	□	□
40043	141 litre refrigerator with separate 23 litre freezer compartment 2)	587,39 €	15	□	□	□	□	□	□	□	□	□	□	□
Packages														
80045	Basic Package comprising:	696,64 €	16	□	□	□	□	□	□	□	□	□	□	□
	Panorama roof vent, shower room panelling, Mini Heki (new), coat rack (model-dependent), water-tightness warranty (5 years)													
Other:														
	Approval documents	108,00 €	---	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

● Standard equipment □ Special equipment × Available in the Package ◆ Obligatory - non-obligatory

The General Terms and Conditions of Business issued by Carado GmbH shall apply

Carado motorhomes prices as at 07/11 valid from 01.07.11. All prices are non-binding recommended retail prices including VAT ex works at Neustadt.

Prices for special fittings apply only for new series manufacture. The dimensions and weights stated are approximate values. The kerb weight is that of the standard production version without optional equipment.

The payload stated is reduced when optional equipment is fitted.

2) Combination of code no. 40137 and 40043 not possible on T 337.

3) General information regarding permissible number of persons: The permissible number of persons is adjusted taking the total weight into consideration

Standard equipment

Chassis/base vehicle

- Fiat Ducato, 2.0 Multi-Jet 85 kW/115 bhp, complies with EURO 5 emissions standard
- Wide-track chassis
- Daytime driving lamps ¹⁾
- Driver's airbag
- ABS
- Tinted, electric windows
- Electric central locking with remote control
- Driver's/passenger seats upholstered in living area fabric with double arm rests
- Swivelling driver's and passenger seats (model-dependent)
- Painted front bumper
- Fix & Go tyre repair kit

Body/living area

- Roof and wall thickness 34 mm, floor thickness 41 mm
- Smooth panelling
- Double-glazed hinged window with blackout blind and flyscreen (model-dependent)
- Opaque plexiglass roof vent with flyscreen
- Insect screen door
- High alcove style with 72 cm headroom and side window on right (alcove models)
- Collapsible and heated alcoves (berth 210x160 cm)
- Safety net on alcove and on bunk bed (alcove models)
- Utensil pockets in the alcove
- Canadian walnut furniture veneer
- Monaco or Valencia fabric combination
- Ergonomically shaped upholstery
- Table top extension for semi-integrated models
- Bamboo-look floor
- Oak edge trims
- Cold foam mattresses for fixed rear beds (compact foam for bunk beds)
- Rear garage (model-dependent)
- Spacious stowage compartment under bunk beds in direction of travel (model-dependent)
- Electric step (Omnistep)

On-board systems

- Powerful, non-spill living area battery (95 Ah)
- Control panel with indicators for all important functions
- Automatic connection/disconnection for starter battery and body battery and refrigerator
- Automatic charger for body battery and vehicle battery 12 V / 17 A
- 230 V sockets
- External CEE socket for 230 V wiring system with circuit breaker
- All supply cables routed through insulated area
- Central lighting in the entrance area
- Awning lamp

Heating/gas supply

- Gas bottle cabinet for 2 x 11 kg gas bottles
- Low noise, powerful Trumatic 6 kW heating with integrated 12 litre water heater (model-dependent)
- Truma Combi 6 heater with integrated 10 litre hot water boiler (model-dependent)

Kitchen/water supply

- Spacious, ergonomic kitchen design with generous worktops and deep round sink in stainless steel look
- 3-burner hob with ignition protection and glass cover
- Recessed halogen lighting over the kitchen unit
- Roller-mounted cutlery drawer
- Basin cover doubles as cutting board
- Hot water supply with single-lever mixer tap
- Water tank including boiler, 122 litres, waste water tank 92 litres
- 113 litre refrigerator with 11 litre freezer compartment
- Rubbish bin

Bathroom

- Shower with shower curtain or separate shower cabinet with shower doors (model-dependent)
- Spacious bathroom with opposite separate shower (T449)
- Height-adjustable shower fittings with lock
- Thetford C 250/C 200S cassette toilet (model-dependent)
- Recessed halogen lighting
- Cupboard with mirror
- Roof vent with integrated flyscreen blind (model-dependent)

1) Available from October production